# ITW AAMTech

Chemwatch Hazard Alert Code: 2

Issue Date: **20/04/2020** Print Date: **01/08/2022** 

S.GHS.AUS.EN

Chemwatch: 5381-65 Version No: 2.1

Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirements

# SECTION 1 Identification of the substance / mixture and of the company / undertaking

### **Product Identifier**

Product name	SEPTONE PINEAROMA DISINFECTANT
Chemical Name	Not Applicable
Synonyms	HDP20 - SEPTONE PINEAROMA COMMERCIAL GRADE DISINFECTANT 20L; HDP5 - SEPTONE PINEAROMA COMMERCIAL GRADE DISINFECTANT 5L; HDP1000 - PINEAROMA 1000L
Chemical formula	Not Applicable
Other means of identification	Not Available

# Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Commercial/ household grade disinfectant.
Relevant identified uses	Use according to manufacturer's directions.

# Details of the supplier of the safety data sheet

Registered company name	ITW AAMTech
Address	1-9 Nina Link Dandenong South VIC 3175 Australia
Telephone	1800 177 989
Fax	1800 308 556
Website	www.aamtech.com.au
Email	info@aamtech.com.au

### **Emergency telephone number**

Association / Organisation	CHEMWATCH EMERGENCY RESPONSE
Emergency telephone numbers	+61 1800 951 288
Other emergency telephone numbers	+61 3 9573 3188

Once connected and if the message is not in your preferred language then please dial 01

### **SECTION 2 Hazards identification**

#### Classification of the substance or mixture

#### HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Poisons Schedule	Not Applicable	
Classification <sup>[1]</sup>	Serious Eye Damage/Eye Irritation Category 1, Sensitisation (Skin) Category 1, Sensitisation (Respiratory) Category 1, Skin Corrosion/Irritation Category 2	
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI	



#### Hazard statement(s)

H318	Causes serious eye damage.
H317	May cause an allergic skin reaction.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H315	Causes skin irritation.

#### Precautionary statement(s) General

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

### Precautionary statement(s) Prevention

P261	Avoid breathing mist/vapours/spray.
P280	Wear protective gloves, protective clothing, eye protection and face protection.
P284	[In case of inadequate ventilation] wear respiratory protection.
P264	Wash all exposed external body areas thoroughly after handling.

### Precautionary statement(s) Response

P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P310	Immediately call a POISON CENTER/doctor/physician/first aider.		
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor/physician/first aider.		

# Precautionary statement(s) Storage

Not Applicable

### Precautionary statement(s) Disposal

P501

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

Not Applicable

### **SECTION 3 Composition / information on ingredients**

#### Substances

See section below for composition of Mixtures

# **Mixtures**

CAS No	%[weight]	Name
98-55-5	1-6	alpha-terpineol
68439-50-9	1-6	alcohols C12-14 ethoxylated
138-86-3	1-<3	dipentene
8001-54-5	1-<3	benzalkonium chloride
Not Available	balance	Ingredients determined not to be hazardous
Not Available		includes
7732-18-5	>60	water

Legend:

1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 -Annex VI; 4. Classification drawn from C&L; \* EU IOELVs available

### Issue Date: 20/04/2020 Print Date: 01/08/2022

### SEPTONE PINEAROMA DISINFECTANT

# **SECTION 4 First aid measures**

#### Description of first aid measures

Eye Contact	<ul> <li>If this product comes in contact with the eyes:</li> <li>Immediately hold eyelids apart and flush the eye continuously with running water.</li> <li>Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.</li> <li>Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.</li> <li>Transport to hospital or doctor without delay.</li> <li>Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul>
Skin Contact	<ul> <li>If skin contact occurs:</li> <li>Immediately remove all contaminated clothing, including footwear.</li> <li>Flush skin and hair with running water (and soap if available).</li> <li>Seek medical attention in event of irritation.</li> </ul>
Inhalation	<ul> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>
Ingestion	<ul> <li>If swallowed do NOT induce vomiting.</li> <li>If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.</li> <li>Observe the patient carefully.</li> <li>Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.</li> <li>Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.</li> <li>Seek medical advice.</li> </ul>

### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5 Firefighting measures**

#### Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.

Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce floating layers of combustible substances.

In such an event consider:

foam.

### Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.

# Advice for firefighters

Fire Fighting	<ul> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear breathing apparatus plus protective gloves in the event of a fire.</li> </ul>	
File Fighting	Prevent, by any means available, spillage from entering drains or water courses.	
	Use fire fighting procedures suitable for surrounding area.	
	The material is not readily combustible under normal conditions.	
	However, it will break down under fire conditions and the organic component may burn.	
	Not considered to be a significant fire risk.	
	Heat may cause expansion or decomposition with violent rupture of containers.	
Fire/Explosion Hazard		
	Decomposes on heating and produces toxic fumes of:	
	carbon dioxide (CO2)	
	nitrogen oxides (NOx)	
	other pyrolysis products typical of burning organic material.	
HAZCHEM	Not Applicable	

### **SECTION 6 Accidental release measures**

Personal precautions, protective equipment and emergency procedures

See section 8

### **Environmental precautions**

#### See section 12

### Methods and material for containment and cleaning up

Minor Spills	<ul> <li>Clean up all spills immediately.</li> <li>Avoid breathing vapours and contact with skin and eyes.</li> <li>Control personal contact with the substance, by using protective equipment.</li> <li>Contain and absorb spill with sand, earth, inert material or vermiculite.</li> </ul>
Major Spills	<ul> <li>Clear area of personnel and move upwind.</li> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear breathing apparatus plus protective gloves.</li> <li>Prevent, by any means available, spillage from entering drains or water course.</li> </ul>

Personal Protective Equipment advice is contained in Section 8 of the SDS.

# **SECTION 7 Handling and storage**

#### Precautions for safe handling

Safe handling	<ul> <li>DO NOT allow clothing wet with material to stay in contact with skin</li> <li>Avoid all personal contact, including inhalation.</li> <li>Wear protective clothing when risk of exposure occurs.</li> <li>Use in a well-ventilated area.</li> <li>Avoid contact with moisture.</li> </ul>
Other information	<ul> <li>Store in original containers.</li> <li>Keep containers securely sealed.</li> <li>No smoking, naked lights or ignition sources.</li> <li>Store in a cool, dry, well-ventilated area.</li> </ul>

### Conditions for safe storage, including any incompatibilities

Suitable container	<ul> <li>Polyethylene or polypropylene container.</li> <li>Packing as recommended by manufacturer.</li> <li>Check all containers are clearly labelled and free from leaks.</li> </ul>	
Storage incompatibility	<ul> <li>Avoid reaction with oxidising agents, bases and strong reducing agents.</li> <li>Avoid strong acids, acid chlorides, acid anhydrides and chloroformates.</li> </ul>	

### **SECTION 8 Exposure controls / personal protection**

### **Control parameters**

Occupational Exposure Limits (OEL)

### INGREDIENT DATA

Not Available

#### Emergency Limits

Ingredient	TEEL-1	TEEL-2		TEEL-3
alpha-terpineol	59 mg/m3	650 mg/m3		1,000 mg/m3
benzalkonium chloride	0.91 mg/m3	10 mg/m3		60 mg/m3
Ingredient	Original IDLH		Revised IDLH	
alpha-terpineol	Not Available		Not Available	
alcohols C12-14 ethoxylated	Not Available		Not Available	
dipentene	Not Available		Not Available	
benzalkonium chloride	Not Available		Not Available	
water	Not Available		Not Available	

#### **Occupational Exposure Banding**

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit
alpha-terpineol	E	≤ 0.1 ppm
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure	

band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit
alcohols C12-14 ethoxylated	E	≤ 0.1 ppm
dipentene	E	≤ 0.1 ppm
benzalkonium chloride	E	≤ 0.01 mg/m³
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.	

### **Exposure controls**

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.
Personal protection	
Eye and face protection	<ul> <li>Safety glasses with side shields.</li> <li>Chemical goggles.</li> <li>Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.</li> </ul>
Skin protection	See Hand protection below
Hands/feet protection	<ul> <li>Wear chemical protective gloves, e.g. PVC.</li> <li>Wear safety footwear or safety gumboots, e.g. Rubber</li> <li>NOTE:</li> <li>The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact.</li> <li>Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed.</li> <li>The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.</li> <li>Personal hygiene is a key element of effective hand care.</li> </ul>
Body protection	See Other protection below
Other protection	<ul> <li>Overalls.</li> <li>P.V.C apron.</li> <li>Barrier cream.</li> <li>Skin cleansing cream.</li> </ul>

#### **Respiratory protection**

Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

- Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.
- The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.
- Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

### **SECTION 9** Physical and chemical properties

### Information on basic physical and chemical properties

Appearance	Clear fluorescent yellow mobile liquid with pine fragrance; mixes with water.		
Physical state	Liquid	Relative density (Water = 1)	~1
Odour	Not Available	Partition coefficient n-octanol / water	Not Available

Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	7.5	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	~100	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (Not Available%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

# **SECTION 10 Stability and reactivity**

Reactivity	See section 7
Chemical stability	<ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> <li>Hazardous polymerisation will not occur.</li> </ul>
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

# **SECTION 11 Toxicological information**

# Information on toxicological effects

alpha-terpineol

TOXICITY

dermal (rat) LD50: >2000 mg/kg<sup>[1]</sup>

Oral (Mouse) LD50; 12.8 mg/kg<sup>[2]</sup>

Inhaled	Inhalation of vapours or aerosols (mists, fumes), generated by the material during the course of normal handling, may be damaging to the health of the individual.		
Ingestion	Accidental ingestion of the material may be damaging to the health of the individual.		
Skin Contact	This material can cause inflammation of the skin on contact in some persons. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.		
Eye	If applied to the eyes, this material causes severe eye damage.		
Chronic	Repeated or long-term occupational exposure is likely to produce cumulative health effects involving organs or biochemical systems. Inhaling this product is more likely to cause a sensitisation reaction in some persons compared to the general population. Skin contact with the material is more likely to cause a sensitisation reaction in some persons compared to the general population. There has been some concern that this material can cause cancer or mutations but there is not enough data to make an assessment.		
SEPTONE PINEAROMA DISINFECTANT	TOXICITY Not Available	IRRITATION Not Available	

IRRITATION

Eye: adverse effect observed (irritating)<sup>[1]</sup>

Skin: adverse effect observed (irritating)<sup>[1]</sup>

Continued...

	ΤΟΧΙΟΙΤΥ	IRRITATION
	dermal (rat) LD50: >=2000 mg/kg <sup>[1]</sup>	Eye (rabbit): irritant *
alcohols C12-14	Inhalation(Rat) LC50; >1.6 mg/l4h <sup>[1]</sup>	Eye: no adverse effect observed (not irritating) <sup>[1]</sup>
ethoxylated	Oral (Rat) LD50; >2000 mg/kg <sup>[1]</sup>	Skin (rabbit): irritant *
		Skin: no adverse effect observed (not irritating) <sup>[1]</sup>
	ΤΟΧΙΟΙΤΥ	IRRITATION
dipentene	Oral (Mouse) LD50; 4773 mg/kg <sup>[2]</sup>	Skin (rabbit): 500 mg/24h - mod
	ΤΟΧΙΟΙΤΥ	IRRITATION
	Dermal (rabbit) LD50: 1560 mg/kg <sup>[2]</sup>	Eye (human): 0.05 mg SEVERE
benzalkonium chloride	Oral (Rat) LD50; 240 mg/kg <sup>[2]</sup>	Eye (rabbit): 1mg/24h SEVERE
		Skin (human): 0.15 mg/72h mild
water	ΤΟΧΙΟΙΤΥ	IRRITATION
	Oral (Rat) LD50; >90000 mg/kg <sup>[2]</sup>	Not Available
Legend:	1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances	

ALPHA-TERPINEOL	For terpenoid tertiary alcohols and their related esters: These substances are metabolised in the liver and excreted primarily in the urine and faeces. A portion is also excreted unchanged. They have low short term toxicity when ingested or applied on the skin. However, repeated and long term use may cause dose dependent harm to both the foetus and mother. A member or analogue of a group of aliphatic and alicyclic terpenoid tertiary alcohols and structurally related substances generally regarded as safe. Animal testing suggests that the acute toxicity of tertiary alcohols and related esters is extremely low. Genetic toxicity: Tests on bacterial and animal cells showed no evidence of genetic toxicity or potential to cause mutations. With few exceptions* (see below), there are no safety concerns regarding certain cyclic and non-cyclic terpene alcohols **, as fragrance ingredients, under present declared levels of use and exposure, because - They have low acute toxicity - No significant toxicity was observed in repeat dose toxicity tests - They were not found to cause mutations or genetic toxicity - Substances in this group are processed similarly in the body - There is no indication of persistent breakdown products causing severe toxicity - They have a generally low potential for sensitization - The margin of safety is more than 100 times the maximum daily exposure. - Safety concerns exist for the following substances for the following reasons: - 6,7-dihydrogeraniol, hydroabietyl alcohol and 2-isopropyl-2-decahydronapthalenol are potent skin sensitisers. - Farnesol is a weak sensitizer. - Scalerol and linalool may contain impurities and/or oxidation products that are strong sensitisers. - No sensitization test results were available for 2(10)-pinen-3-ol, 2,6-dimethylloct-3,5-dien-2-ol, and 3,7-dimethyl- 4,6-octadien-3-ol. These materials should be regarded as potential sensitizers until tested. ** The common characteristic structural element of acyclic -noncyclic- and cyclic terpene alcohol
ALCOHOLS C12-14 ETHOXYLATED	<ul> <li>* BASF Canada ** [Henkel CCINFO 1450373]</li> <li>Humans have regular contact with alcohol ethoxylates through a variety of industrial and consumer products such as soaps, detergents and other cleaning products. Exposure to these chemicals can occur through swallowing, inhalation, or contact with the skin or eyes. Studies of acute toxicity show that relatively high volumes would have to occur to produce any toxic response. No death due to poisoning with alcohol ethoxylates has ever been reported.</li> <li>Both laboratory and animal testing has shown that there is no evidence for alcohol ethoxylates (AEs) causing genetic damage, mutations or cancer. No adverse reproductive or developmental effects were observed.</li> <li>Tri-ethylene glycol ethers undergo enzymatic oxidation to toxic alkoxy acids. They may irritate the skin and the eyes. At high oral doses, they may cause depressed reflexes, flaccid muscle tone, breathing difficulty and coma. Death may result in experimental animal.</li> <li>The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.</li> </ul>
DIPENTENE	d-Limonene is readily absorbed by inhalation and swallowing. Absorption through the skin is reported to the lower than by inhalation. It is rapidly distributed to different tissues in the body, readily metabolized and eliminated, primary through the urine. Limonene shows low acute toxicity by all three routes in animals. Limonene is a skin irritant in both experimental animals and humans.
BENZALKONIUM CHLORIDE	Allergic reactions involving the respiratory tract are usually due to interactions between IgE antibodies and allergens and occur rapidly. Allergic potential of the allergen and period of exposure often determine the severity of symptoms. Some people may be genetically more prone than others, and exposure to other irritants may aggravate symptoms. Allergy causing activity is due to

	interactions with proteins. Attention should be paid to atopic diathesis, chara Exogenous allergic alveolitis is induced essentially reactions (T lymphocytes) may be involved. Such Alkyldimethylbenzylammonium chlorides are in the contact with skin and on ingestion", and "corrosive eye irritation with possible deterioration of vision, p cancer, genetic defect, foetal or developmental ab For acid mists, aerosols, vapours Test results suggest that eukaryotic cells are susc respiratory tract have not been examined in this re exposure to inhaled acidic mists (which also prote	acterised by increased susceptibil y by allergen specific immune-cor allergy is of the delayed type with e list of dangerous substances of e and very toxic to aquatic organis possible sensitisation in those wit pormality. The petible to genetic damage when the espect. Mucous secretion may pre- cits the stomach lining from the hy-	ity to nasal inflammation, asthma and eczema. nplexes of the IgG type; cell-mediated nonset up to four hours following exposure. council directive, classified as "harmful in sms". It can cause dose dependent skin and h pre-existing eczema. It does not cause the pH falls to about 6.5. Cells from the potect the cells of the airway from direct ydrochloric acid secreted there).
WATER	No significant acute toxicological data identified in	literature search.	
ALPHA-TERPINEOL & DIPENTENE & BENZALKONIUM CHLORIDE	The following information refers to contact allergens as a group and may not be specific to this product. Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria, involve antibody-mediated immune reactions.		
ALPHA-TERPINEOL & BENZALKONIUM CHLORIDE	Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia.		
ALPHA-TERPINEOL & DIPENTENE	Adverse reactions to fragrances in perfumes and fragranced cosmetic products include allergic contact dermatitis, irritant contact dermatitis, sensitivity to light, immediate contact reactions, and pigmented contact dermatitis. Airborne and connubial contact dermatitis occurs. Contact allergy is a lifelong condition, so symptoms may occur on re-exposure. Allergic contact dermatitis can be severe and widespread, with significant impairment of quality of life and potential consequences for fitness for work. If the perfume contains a sensitizing component, intolerance to perfumes by inhalation may occur. Fragrance allergens act as haptens, which are small molecules that cause an immune reaction only when attached to a carrier protein. However, not all sensitizing fragrance chemicals are directly reactive, but some require previous activation. A prehapten is a chemical that itself causes little or no sensitization, but it is transformed into a hapten outside the skin by a chemical reaction (oxidation in air or reaction with light) without the requirement of an enzyme. For prehaptens, it is possible to prevent activation outside the body to a certain extent by different measures, for example, prevention of air exposure during handling and storage of the ingredients and the final product, and by the addition of suitable antioxidants. When antioxidants are used, care should be taken that they will not be activated themselves, and thereby form new sensitisers.		
ALCOHOLS C12-14 ETHOXYLATED & DIPENTENE	The material may cause skin irritation after prolon the production of vesicles, scaling and thickening	ged or repeated exposure and ma of the skin.	ay produce on contact skin redness, swelling,
Acute Toxicity	×	Carcinogenicity	×
Skin Irritation/Corrosion	*	Reproductivity	×
Serious Eye Damage/Irritation	×	STOT - Single Exposure	×
Respiratory or Skin sensitisation	<b>v</b>	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×
	Legend: X – Data either not available or does not fill the criteria for classification		

Legend:

Data available to make classification

# **SECTION 12 Ecological information**

xicity					
SEPTONE PINEAROMA DISINFECTANT	Endpoint	Test Duration (hr)	Species	Value	Source
	Not Available	Not Available	Not Available	Not Available	Not Available
alpha-terpineol	Endpoint	Test Duration (hr)	Species	Value	Source
	NOEC(ECx)	72h	Algae or other aquatic plants	~3.9mg/l	2
	EC50	72h	Algae or other aquatic plants	~17mg/l	2
	EC50	48h	Crustacea	73mg/l	2

	LC50	96h	Fish	6.3mg/l	4
	Endpoint	Test Duration (hr)	Species	Value	Source
	EC0(ECx)	72h	Algae or other aquatic plants	0.035mg/l	2
alcohols C12-14	EC50	72h	Algae or other aquatic plants	0.13mg/l	2
enioxylateu	EC50	48h	Crustacea	0.53mg/l	2
	LC50	96h	Fish	1.1mg/l	2
	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	48h	Crustacea	28.2mg/l	4
dipentene	EC50(ECx)	24h	Fish	~17.2mg/L	4
	LC50	96h	Fish	35.4-41.8mg/l	4
	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50(ECx)	48h	Crustacea	0.02mg/l	Not Available
benzalkonium chloride	EC50	48h	Crustacea	0.02mg/l	Not Available
	LC50	96h	Fish	0.31mg/l	Not Available
	EC50	96h	Algae or other aquatic plants	<0.96mg/L	4
water	Endpoint	Test Duration (hr)	Species	Value	Source
	Not Available	Not Available	Not Available	Not Available	Not Available
water Legend:	Endpoint Not Available Extracted from 4. US EPA, Ec	Test Duration (hr) Not Available 1. IUCLID Toxicity Data 2. Europe ECHA potox database - Aquatic Toxicity Data 5. Eu	Species Not Available Registered Substances - Ecotoxicologi CETOC Aquatic Hazard Assessment D	Value Not Available ical Information - Aqu	at

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Do NOT allow product to come in contact with surface waters or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash-waters.

Wastes resulting from use of the product must be disposed of on site or at approved waste sites.

DO NOT discharge into sewer or waterways.

### Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
alpha-terpineol	HIGH	HIGH
dipentene	HIGH	HIGH
water	LOW	LOW

# **Bioaccumulative potential**

Ingredient	Bioaccumulation
alpha-terpineol	LOW (LogKOW = 3.28)
dipentene	HIGH (LogKOW = 4.8275)

### Mobility in soil

Ingredient	Mobility
alpha-terpineol	LOW (KOC = 57.85)
dipentene	LOW (KOC = 1324)

# **SECTION 13 Disposal considerations**

#### Waste treatment methods

Product / Packaging

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws

	operating in their area. In some areas, certain wastes must be tracked.
	A Hierarchy of Controls seems to be common - the user should investigate:
	▶ Reduction
	▶ Reuse
	▶ Recycling
	Disposal (if all else fails)
	This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use.
disposal	DO NOT allow wash water from cleaning or process equipment to enter drains.
	It may be necessary to collect all wash water for treatment before disposal.
	In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
	Where in doubt contact the responsible authority.
	Recycle wherever possible or consult manufacturer for recycling options.
	<ul> <li>Consult State Land Waste Authority for disposal.</li> </ul>
	Bury or incinerate residue at an approved site.
	Recycle containers if possible, or dispose of in an authorised landfill.

### **SECTION 14 Transport information**

#### Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

### Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

### Transport in bulk according to Annex II of MARPOL and the IBC code

### Not Applicable

### Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
alpha-terpineol	Not Available
alcohols C12-14 ethoxylated	Not Available
dipentene	Not Available
benzalkonium chloride	Not Available
water	Not Available

#### Transport in bulk in accordance with the ICG Code

Product name	Ship Type
alpha-terpineol	Not Available
alcohols C12-14 ethoxylated	Not Available
dipentene	Not Available
benzalkonium chloride	Not Available
water	Not Available

### **SECTION 15 Regulatory information**

# Safety, health and environmental regulations / legislation specific for the substance or mixture

alpha-terpineol is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

## alcohols C12-14 ethoxylated is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

#### dipentene is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australian Inventory of Industrial Chemicals (AIIC)

Australian Inventory of Industrial Chemicals (AIIC)

benzalkonium chloride is found on the following regulatory lists	
Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals	Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5	Australian Inventory of Industrial Chemicals (AIIC)

### water is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

### **National Inventory Status**

National Inventory	Status	
Australia - AIIC / Australia Non-Industrial Use	Yes	
Canada - DSL	Yes	
Canada - NDSL	No (alpha-terpineol; alcohols C12-14 ethoxylated; dipentene; benzalkonium chloride; water)	
China - IECSC	Yes	
Europe - EINEC / ELINCS / NLP	No (benzalkonium chloride)	
Japan - ENCS	No (benzalkonium chloride)	
Korea - KECI	Yes	
New Zealand - NZIoC	Yes	
Philippines - PICCS	Yes	
USA - TSCA	No (benzalkonium chloride)	
Taiwan - TCSI	Yes	
Mexico - INSQ	No (alcohols C12-14 ethoxylated)	
Vietnam - NCI	Yes	
Russia - FBEPH	Yes	
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.	

### **SECTION 16 Other information**

Revision Date	20/04/2020
Initial Date	20/04/2020

### **SDS Version Summary**

Version	Date of Update	Sections Updated
2.1	20/04/2020	Appearance, Physical Properties, Spills (major), Spills (minor), Supplier Information, Synonyms, Transport, Transport Information, Use, Name

### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.