



## food processor supplies

4<sup>th</sup> February 2019

Bunzl Food Processor  
Supplies Pty Ltd  
ABN: 17 000 011 441

Sydney  
34-48 Cosgrove Road  
Enfield NSW 2136  
Locked Bag 3011  
Burwood NSW 2134  
Australia

Tel: +61 2 9737 2100  
Fax: +61 2 9642 0229  
[www.bunzl.com.au](http://www.bunzl.com.au)

## SPECIFICATION SHEET

**Code:** NAT500050188

**Description:** CASING NDX RTS 23/50 762MTR

Viscofan Edible Collagen casings NDX & NDCMFR are tubular artificial edible casings produced from collagen protein obtained from hides of bovine origin.

**Application:** Viscofan Edible Collagen casings NDX & NDCMFR are typically used for the production of cooked meat products, smoked or not, but they can also be used to produce dry-fermented products and other non-meat products like vegetable sausages, cheese, corn, etc.

**Presentation:** Available calibers are 12,5 mm to 38 mm. Stick length typically ranges from 35 feet to 105 feet. Casings are sold Shirred into sticks. Edible Collagen casings NDX & NDCMFR can be pigmented or coloured with non-transferable colorants.

<b>Structure:</b>	Collagen	47-54%
	Water	22-22.5%
	Glycerin (Food grade)	14-17%
	Cellulose (Food grade)	5%
	Oil (Food grade)	3.5-5%
	Colour component	0-3%

**Storage:** In cold/dry places, between 5°C and 23°C, away from natural light and heat sources. Humidity loss should be avoided. Keep boxes closed and stored at 70% RH.

**Shelf life:** Viscofan Edible Collagen casings NDX & NDCMFR are "Best Before" 24 months from the date of packing. This is not a shelf life; when stored properly, closed in original packaging, these casings can be safely used beyond the mentioned period.

**Country of origin:** 100% produced in Germany / 100% packed in Czech Republic.

---

Disclaimer:

The information provided is based on the product's manufacturer and a copy of manufacturer's declaration is held on file. We have every reason to believe that the information provided is accurate.

**Use recommendations:**


Caliber	Stuffing Caliber (mm)	Stuffing horn recommended (mm)
12,5	12,5	8
13	13,5 ± 0,5	8
13,5	13,8 ± 0,5	8
14	14,0 ± 0,5	8
15	15,0 ± 0,5	9
15,5	15,5 ± 0,5	9
16	16,0 ± 0,5	9
16,5	16,5 ± 0,5	9,5
17	17,0 ± 0,5	9,5
17,5	17,5 ± 0,5	9,5
18	18,0 ± 0,5	10
19	19,0 ± 0,5	11
19,5	19,5 ± 0,5	11
20	20,0 ± 0,5	11
21	21,0 ± 0,5	12
21,5	21,5 ± 0,5	12
22	22,0 ± 0,5	12,5
22,5	22,5 ± 0,5	12,5
23	23,0 ± 0,5	13
23,5	23,5 ± 0,5	13
24	24,0 ± 0,5	14
24,5	24,5 ± 0,5	14
25	25,0 ± 0,5	15
26	26,0 ± 0,5	16
27	27,0 ± 0,5	16
27,5	27,5 ± 0,5	16
28	28,0 ± 0,5	16
29	29,0 ± 0,5	16
30	30,0 ± 0,5	17
31	31,0 ± 0,5	17
32	32,0 ± 0,5	17
33	33,0 ± 0,5	19
34	34,0 ± 0,5	21

## Disclaimer:

The information provided is based on the product's manufacturer and a copy of manufacturer's declaration is held on file. We have every reason to believe that the information provided is accurate.

**Compliance:** Viscofan Edible Collagen casings NDX & NDCMFR are intended at being consumed together with the products they contain. They comply with European Regulation (EC) No. 853/2004 of the European Parliament as amended. Edible Collagen Casings do not contain allergenic substances, in accordance to European Regulation (EU) 1169/2011.

Viscofan Group Casings (collagen, plastic, cellulose and fibrous) are produced by several Viscofan Group's companies under the strictest quality and safety parameters. All Viscofan Group companies involved do hold ISO 9001 and BRC certifications for Quality and Safety parameters. Viscofan Group Casings (collagen, plastic, cellulose and fibrous) are produced in accordance with relevant regulations below, suitable for use in direct contact with food and there are no restrictions for their use in food product manufacturing.



Julie Butcher  
Business Analyst/ Quality Assurance Manager

Disclaimer:

The information provided is based on the product's manufacturer and a copy of manufacturer's declaration is held on file. We have every reason to believe that the information provided is accurate.

